

Health	1
Flammability	1
Reactivity	1
PPI	B


**HMIS SYMBOL**

**MATERIAL SAFETY DATA SHEET**

**ENVIRO-SAFE™**

**reinhardoil.dk**

Telefon + 45 70267007  
 Telefax + 45 70267047  
[www.reinhardoil.dk](http://www.reinhardoil.dk)  
[mail@reinhardoil.dk](mailto:mail@reinhardoil.dk)



**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

Product Name: **ENVIRO-SAFE™**  
 Chemical Family: Mixture  
 Use: Lubricating grease for tool joints  
 Manufacturer/Supplier: **Jet-Lube of Canada Ltd.**  
 3820 – 97 Street NW  
 Edmonton, Alberta  
 Canada T6E 5S8  
 Phone: (780) 463-7441 Fax: (780) 463-7454  
 CCOHS: 1-800-668-4284

**Emergency:**  
 CANUTEC PH: (613) 996-6666 Cell: \*666 TTY/TDD: 1-888-675-6863

**SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Components	Graphite	Copper	Mica	MoS <sub>2</sub>
CAS NO.	7782-42-5	7440-50-8	12001-26-2	1317-33-5
WT %	10 - 30	1 - 5	7 - 13	1 - 5
OSHA PEL	2.5 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>	15 mg/m <sup>3</sup> , as Mo
ACGIH TLV	2.0 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>	15 mg/m <sup>3</sup> , as Mo
LD50	Not Determined	3 mg/kg (mouse)	Not Available	>6 g/kg (oral, rat)
LC50	Not Determined	Not Available	Not Available	Not Available
OTHER:	N/A	N/A	N/A	N/A

**SECTION 3 - HAZARDS IDENTIFICATION**

Route of Entry: Eyes, Inhalation, Ingestion, Skin  
 Eyes: May cause irritation to eyes.  
 Inhalation: Viscous nature may block breathing passages if inhaled.  
 Ingestion: May cause diarrhea if ingested.  
 Skin: May cause irritation after prolonged skin exposure, especially for persons with hypersensitivity.

**SECTION 4 - FIRST AID MEASURES**

Eyes: Flush with water for 15 minutes. If irritation persists, seek medical help.  
 Ingestion: Do not induce vomiting. Wash out mouth. Contact a physician immediately.  
 Skin: Remove by wiping or with a waterless hand cleaner, followed by washing with soap and water.  
 Inhalation: Clear air passage. If breathing difficulty continues seek medical help.

**SECTION 5 - FIRE FIGHTING MEASURES**

Flammability: Nil at ambient temp  
 Extinguishing Media: Use dry chemicals, foam, halon, CO<sub>2</sub>, sand, earth, or water mist.  
 Flash Point (COC): >221°C (430°F)  
 Explosive Properties: LEL – 0.9% UEL - 7%  
 Autoignition Temp: >260°C (500°F)  
 Hazardous Combustion Products: Oxides of carbon, smoke and irritating vapors as products of incomplete combustion.  
 Protective Equipment: Self-contained breathing apparatus.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Spillage: Scoop up excess, then wipes down the affected area and pick up residue with diatomaceous earth to avoid a walking hazard.  
 Environmental Precautions: Do not allow product to enter into drains.

**SECTION 7 - HANDLING AND STORAGE**

Handling Procedures: No special handling precautions necessary. Do not pressurize, cut, heat or weld empty containers.  
 Storage Requirements: Store in a cool, well ventilated place.  
 Engineering Controls: If user's operation generates vapors or mists, use ventilation to keep exposure to airborne contaminants below the exposure limit. Make up air should always be supplied to balance air removed by exhaust ventilation. Ensure eyewash station and safety shower are close to work station.

**SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

Personal Protective Equipment (PPE's):  
 Respiratory Protection: None required.  
 Hand Protection: Protective gloves for hypersensitive persons.  
 Eye Protection: Protective glasses if applied to moving parts.  
 Body Protection: Protective overalls.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: Paste  
 Odor Threshold: Not Determined  
 Vapor Pressure: <0.01 kPa  
 Boiling Point: Undetermined  
 pH: Neutral  
 Density: 1.21 g/cm<sup>3</sup>  
 Evaporation Rate (Butyl Acetate = 1.0): <0.01  
 Odor: Light Petroleum  
 Specific Gravity: 1.21 Typical  
 Vapor Density: Not Determined  
 Melting Point: 260°C (500°F)  
 % Volatile: Nil  
 Water Solubility: Nil

**SECTION 10 - STABILITY AND REACTIVITY**

Stability: Chemically stable under normal conditions. No photoreactive agents.  
 Conditions to Avoid: Powerful sources of ignition and extreme temperatures.  
 Materials to Avoid: Strong acids and oxidizing agents.  
 Hazardous Decomposition Products: May release CO<sub>x</sub>, smoke and irritating vapors when heated to decomposition.

**SECTION 11 - TOXICOLOGICAL INFORMATION**

Exposure Limit of Material: See Section 2.  
 LC50 of Ingredients, Species and Routes: See Section 2.  
 LD50 of Ingredients, Species and Routes: See Section 2.  
 Teratogenicity, Embryotoxicity and/or Fetotoxicity: Not Available  
 Mutagenicity: Not Available  
 Effects of Long-Term (Chronic) Exposure: Long term dermal application may produce possible skin irritation.  
 Carcinogen: NTP: No IARC: No OSHA: No

**SECTION 12 - ECOLOGICAL INFORMATION**

Possible Effects: May generate oil fractions that could act as a marine pollutant, but is highly unlikely.  
 Behavior: Relatively well behaved. Bioaccumulation potential almost nil.  
 Environmental Fate: Highly unlikely to cause widespread contamination.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

Consult federal, provincial and local regulations for disposal of petroleum products. Do not incinerate.

**SECTION 14 - TRANSPORT INFORMATION**

TDG (Canada): The mixture is not specifically listed in the Canadian Transportation of Dangerous Goods regulations. The mixture has a component that may be classified as a marine pollutant.

Land & Rail: Not Regulated  
 Marine & Air: Regulated

**Requirements for Marine/Air Transport:**

Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE N.O.S. (COPPER)  
 UN No.: UN3077  
 Packing Group: III  
 Classification: CLASS 9  
 Labeling Requirements: CLASS 9 MARINE POLLUTANT LABELS (**Marine**) MISCELLANEOUS (**Air**)  
 Placard Requirements: None  
 Maximum net quantity per package (**Air**): 400kg passenger plane 400kg cargo plane  
 Special provisions (**Air**): A97  
 Packing instructions (**Air**): 911

**EXEMPTION NOTICE (Marine): 1.17 Limited Quantities Exemption for single containment of product 5 liters or less.**

**SECTION 15 - REGULATORY INFORMATION**

WHMIS: Not regulated  
 DSL: All components listed  
 CPR Compliance: This product has been classified in accordance with the hazard criteria of the Controlled Product Regulations and the MSDS contains all of the information required by those regulations.

**SECTION 16 - OTHER INFORMATION**

CPR - Controlled Product Regulations  
 DSL - Domestic Substance List

As of issue date, the information contained herein is accurate and reliable to the best of Jet-Lube of Canada Ltd.'s knowledge. Jet-Lube of Canada Ltd. does not warrant or guarantee its accuracy or reliability and shall not be liable for any loss or damage arising out of the use thereof. It is the users' responsibility to satisfy themselves that the information offered for their consideration is suitable for their particular use.

**Prepared by: Jet-Lube of Canada Ltd. - Laboratory**  
**Last Date of Revision: May 30, 2012**