



Foodmax Easy Spray

Lubricating white oil for general purposes in a spray can

Description

Foodmax Easy Spray is a universal lubricant for use in food processing equipment where incidental contact with food may occur. Suitable for most applications where medium load is required.

NSF-H1 approved.

Applications

Foodmax Easy Spray can be used as a general lubricant as a non sticky chain oil, bearings and slides with low load, hinges and as a cleaning and conserving agent for stainless steel. Foodmax Easy Spray can be used as a food grade mould release oil as well.



Typical performance data

Colour (Saybolt) (Min)	+30
Viscosity @ 40 °C, cSt	60-70
Flash point, °C, min	210
Pour point, °C, max	-6
USP/BP	Passes
FDA 21 CFR 172.878	Passes
FDA 21 CFR 178.3620 a	Passes



This is to certify that

Matrix Foodmax Easy

supplied by

Matrix Specialty Lubricant BV

Industriestraat 9, Arnhem, 6813JZ. Netherlands

has been registered by InS Services



Release Agent & Incidental Food Contact

This product is acceptable for use as a Release Agent on grills, ovens, loaf pans, boning benches, chopping boards, or other hard surfaces in contact with food.

This product is acceptable as a lubricant, anti rust film or release agent with incidental food contact for use in and around food processing areas in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect.

Signed:

Sg Stone
InS Services

Date: 19 November 2008



www.ReinhardOil.dk - T: 70267007



Nonfood Compounds
Program Listed

February 21, 2007

Mr. Perry Peters
MATRIX BV
JACOB MARISLAAN, 92
ARNHEM 6813JZ
THE NETHERLANDS

RE: Matrix Foodmax Easy
Category Code: H1
NSF Registration No. 139276

Dear Mr. Perry Peters:

NSF has processed the application for Registration of **Matrix Foodmax Easy** to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2007), which are available at www.nsfwhitebook.org. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.



This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (www.nsfwhitebook.org). The NSF Registration Mark can be downloaded by clicking the "Download Registration Mark" link on the NSF website (www.nsfwhitebook.org).

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at www.nsfwhitebook.org. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

Jennifer De France
NSF Nonfood Compounds Registration Program

Company No: 3L800