

MolyDane Black Moly D-180



Page: 1 Compilation date: 01.01/2022

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MolyDane Black Moly D-180

Product code: 40710235

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: PC24: Lubricants, greases, release products.

1.3. Details of the supplier of the safety data sheet

Company name: Reinhardoil.dk ApS

8 Helleruplund Alle

DK 2900 Hellerup

Denmark

Tel: +45 70 26 70 07 mail@reinhardoil.dk

1.4. Emergency telephone number

Emergency tel: +45 70 26 70 07 Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: N: R51/53 Classification under CLP: Aquatic Chronic 2: H411 Most important adverse effects: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Label elements under CLP:

Hazard statements: H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS09: Environmental



 Precautionary statements:
 P273: Avoid release to the environment.

 P391: Collect spillage.
 P501: Dispose of contents/container to hazardous or special waste collection point.

MolyDane Black Moly D-180

Page: 2

 Label elements under CHIP:
 Dangerous for the environment.

 Hazard symbols:
 Dangerous for the environment.

 Risk phrases:
 R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

 Safety phrases:
 S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

 2.3. Other hazards
 Safety phrases

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ORGANICALLY MODIFIED CLAY

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	-	Xi: R36/37/38; -: R18	-	1-10%

ZINC OXIDE

-	1314-13-2	N: R50/53	Aquatic Chronic 1: H410; Aquatic	1-10%
			Acute 1: H400	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: Not applicable.

Delayed / immediate effects: Continuous skin contact may cause skin sensitivity and dermatitis

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

Suitable packaging: Not applicable.

7.3. Specific end use(s)

Specific end use(s): PC24: Lubricants, greases, release products.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Page: 4

Hazardous ingredients:

ZINC OXIDE

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	5 mg/m3	10 mg/m3	-	-

Respirable dust

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Skin

protection: Protective clothing.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:GreaseColour:GreyOdour:OdourlessSolubility in water:InsolubleMelting point/range°C:>150Autoflammability°C:>200

Flash point°C:>200Relative density:0.95

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ZINC OXIDE

IPR	RAT	LD50	240	mg/kg
ORL	MUS	LD50	7950	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact:	: There may be mild irritation at the site of contact.	
Eye contact:	: There may be irritation and redness.	
Ingestion:	n: There may be irritation of the throat.	
Inhalation:	Not applicable.	
Delayed / immediate effects:	Continuous skin contact may cause skin sensitivity and dermatitis	
Other information:	Not applicable.	

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Insoluble in water. Floats on water. Absorbed only slowly into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Recovery operations:
 Not applicable.

 Disposal of packaging:
 Dispose of as normal industrial waste.

 NB:
 The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H410: Very toxic to aquatic life with long lasting effects.
	H411: Toxic to aquatic life with long lasting effects.
	R18: In use, may form flammable / explosive vapour-air mixture.
	R36/37/38: Irritating to eyes, respiratory system and skin.
	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
Legend to abbreviations:	PNEC = predicted no effect level
	DNEL = derived no effect level
	LD50 = median lethal dose
	LC50 = median lethal concentration
	EC50 = median effective concentration
	IC50 = median inhibitory concentration

Page: 6

Page: 7

dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse GPG = guinea pig RBT = rabbit HAM = hamster HMN = human MAM = mammal PGN = pigeon IVN = intravenous SCU = subcutaneous SKN = skin DRM = dermal OCC = ocular/corneal PCP = phycico-chemical properties Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.