

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : EZY-TURN® #4
Product code : J920
Product group : Mixtures

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Whitmore Manufacturing LLC
930 Whitmore Drive
75087 Rockwall, Texas
USA
T 1.972.771.1000
Regulatory@whitmores.com - www.jetlube.com

Distributor

Whitmore Europe Limited
Unit 9
Foster Avenue, Woodside Park Industrial Estate
Dunstable, Bedfordshire, LU5 5TA
United Kingdom
T +44 1707 379870
Regulatory@whitmores.com - www.whitmores.com



1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week
Within USA and Canada: 1.800.424.9300
Outside USA and Canada: +1.703.527.3887
(collect calls accepted)

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|--------------------------------|-----------------------------------|-----------------------------------|
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | Chemtrec - United Kingdom | London | Local (City) +44 20 3807 3798 | |
| United Kingdom | Chemtrec - United Kingdom | | Local (National) +44 870 820 0418 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P273 - Avoid release to the environment.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

| Component | |
|----------------------|---|
| graphite (7782-42-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| glycerol (56-81-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

EZY-TURN® #4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Component | |
|--|---|
| quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|----------|---|
| graphite substance with national workplace exposure limit(s) (GB) | CAS-No.: 7782-42-5 EC-No.: 231-955-3 | ≥ 3.6432 | Aquatic Chronic 2, H411 |
| molybdenum(IV) sulfide substance with national workplace exposure limit(s) (GB) | CAS-No.: 1317-33-5 EC-No.: 215-263-9 | > 3.6432 | Not classified |
| Silane, dichlorodimethyl-, reaction products with silica substance with national workplace exposure limit(s) (GB) | CAS-No.: 68611-44-9 EC-No.: 271-893-4 | 1.84 | Not classified |
| glycerol substance with national workplace exposure limit(s) (GB) | CAS-No.: 56-81-5 EC-No.: 200-289-5 | 0.69 | Not classified |
| Distillates (petroleum), hydrotreated heavy naphthenic (Note L) | CAS-No.: 64742-52-5 EC-No.: 265-155-0 EC Index-No.: 649-465-00-7 | 0.26125 | Not classified |
| quartz, 1%≤conc respirable crystalline silica<10% substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit | CAS-No.: 14808-60-7 EC-No.: 238-878-4 | ≤ 0.0368 | Not classified |

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
|-------------------------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|----------------------------------|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. |
|------------------------------|----------------------------------|

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|



EZY-TURN® #4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Silane, dichlorodimethyl-, reaction products with silica (68611-44-9)

United Kingdom - Occupational Exposure Limits

| | |
|-----------------------|---|
| WEL TWA (OEL TWA) [1] | 10 mg/m ³ 4 mg/m ³ |
|-----------------------|---|

graphite (7782-42-5)

United Kingdom - Occupational Exposure Limits

| | |
|-----------------------|---|
| WEL TWA (OEL TWA) [1] | 10 mg/m ³ 4 mg/m ³ |
|-----------------------|---|

quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)

EU - Indicative Occupational Exposure Limit (IOEL)

| | |
|----------------------|--|
| Local name | Silica crystalline (Quartz) |
| IOEL TWA | 0.05 mg/m ³ (respirable dust) |
| Remark | (Year of adoption 2003) |
| Regulatory reference | SCOEL Recommendations |

United Kingdom - Occupational Exposure Limits

| | |
|-----------------------|--|
| Local name | Silica |
| WEL TWA (OEL TWA) [1] | 0.1 mg/m ³ respirable crystalline |
| Regulatory reference | EH40/2005 (Third edition, 2018). HSE |

molybdenum(IV) sulfide (1317-33-5)

United Kingdom - Occupational Exposure Limits

| | |
|-----------------------|----------------------|
| WEL TWA (OEL TWA) [1] | 10 mg/m ³ |
| WEL STEL (OEL STEL) | 20 mg/m ³ |



www.ReinhardOil.dk - T: 70267007

EZY-TURN® #4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| glycerol (56-81-5) | |
|---|---------------------------------------|
| United Kingdom - Occupational Exposure Limits | |
| Local name | Glycerol |
| WEL TWA (OEL TWA) [1] | 10 mg/m ³ mist |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Wear eye protection

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Neoprene or nitrile rubber gloves

| Hand protection | | | | | |
|-------------------|---|------------------|-----------------|-------------|----------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Disposable gloves | Nitrile rubber (NBR), Neoprene rubber (HNBR) | 2 (> 30 minutes) | 0.3 mm - 0.6 mm | | |

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|-------------------------|
| Physical state | : Solid |
| Colour | : black or grey. |
| Appearance | : Paste. |
| Odour | : petroleum-like odour. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not applicable |



www.ReinhardOil.dk - T: 70267007

EZY-TURN® #4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---|-----------------------|
| Boiling point | : Not available |
| Flammability | : Non flammable. |
| Explosive limits | : Not applicable |
| Lower explosion limit | : Not applicable |
| Upper explosion limit | : Not applicable |
| Flash point | : > 93 °C (Open cup) |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : Not available |
| pH | : Not available |
| pH solution | : Not available |
| Viscosity, kinematic | : Not applicable |
| Solubility | : insoluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50 °C | : Not available |
| Density | : Not available |
| Relative density | : Not available |
| Relative vapour density at 20 °C | : Not applicable |
| Particle size | : Not available |
| Particle size distribution | : Not available |
| Particle shape | : Not available |
| Particle aspect ratio | : Not available |
| Particle aggregation state | : Not available |
| Particle agglomeration state | : Not available |
| Particle specific surface area | : Not available |
| Particle dustiness | : Not available |



9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Silane, dichlorodimethyl-, reaction products with silica (68611-44-9)

| | |
|---------------|--|
| LD50 oral rat | > 5000 mg/kg (Rat, Literature study, Oral) |
|---------------|--|

graphite (7782-42-5)

| | |
|---------------|--|
| LD50 oral rat | > 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) |
|---------------|--|

www.ReinhardOil.dk - T: 70267007

EZY-TURN® #4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--|--|
| graphite (7782-42-5) | |
| LC50 Inhalation - Rat | > 2000 mg/m ³ air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust)) |
| LC50 Inhalation - Rat (Dust/Mist) | > 2 mg/l Source: ECHA |
| molybdenum(IV) sulfide (1317-33-5) | |
| LD50 oral rat | > 6000 mg/kg (Rat, Oral) |
| glycerol (56-81-5) | |
| LD50 oral rat | 27200 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Female, Experimental value, Oral) |
| LD50 dermal rabbit | > 10000 mg/kg |
| LD50 dermal | 56750 mg/kg (4 day(s), Guinea pig, Male / female, Experimental value, Dermal, 14 day(s)) |
| LC50 Inhalation - Rat | > 2.75 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Converted value, Inhalation (vapours)) |
| LC50 Inhalation - Rat (Dust/Mist) | > 142 mg/l/4h |
| LC50 Inhalation - Rat (Vapours) | > 2.75 mg/l Source: ECHA |
| Skin corrosion/irritation | : Not classified (Based on available data, the classification criteria are not met) |
| Silane, dichlorodimethyl-, reaction products with silica (68611-44-9) | |
| pH | 3.7 – 4.7 (4 %, 20 °C) |
| graphite (7782-42-5) | |
| pH | 7 (1.3 %) |
| quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) | |
| pH | 5 – 8 (40 %, 20 °C) |
| molybdenum(IV) sulfide (1317-33-5) | |
| pH | 5 – 8 (10 %) |
| glycerol (56-81-5) | |
| pH | 10.5 |
| Serious eye damage/irritation | : Not classified (Based on available data, the classification criteria are not met) |
| Silane, dichlorodimethyl-, reaction products with silica (68611-44-9) | |
| pH | 3.7 – 4.7 (4 %, 20 °C) |
| graphite (7782-42-5) | |
| pH | 7 (1.3 %) |
| quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) | |
| pH | 5 – 8 (40 %, 20 °C) |
| molybdenum(IV) sulfide (1317-33-5) | |
| pH | 5 – 8 (10 %) |
| glycerol (56-81-5) | |
| pH | 10.5 |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |
| quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) | |
| IARC group | 1 - Carcinogenic to humans |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) |



www.ReinhardOil.dk - T: 70267007

EZY-TURN® #4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| graphite (7782-42-5) | |
|--|---|
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | 0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) |

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

| EZY-TURN® #4 | |
|----------------------|----------------|
| Viscosity, kinematic | Not applicable |
| glycerol (56-81-5) | |
| Viscosity, kinematic | 1119.746 mm²/s |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Not rapidly degradable



| Silane, dichlorodimethyl-, reaction products with silica (68611-44-9) | |
|---|--|
| LC50 - Fish [1] | > 10000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Experimental value, Nominal concentration) |
| EC50 - Crustacea [1] | > 10000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Experimental value, Nominal concentration) |

| graphite (7782-42-5) | |
|----------------------|------------|
| LC50 - Fish [1] | > 100 mg/l |
| EC50 - Crustacea [1] | > 100 mg/l |
| EC50 72h - Algae [1] | 19 mg/l |
| EC50 72h - Algae [2] | 7.2 mg/l |
| ErC50 algae | > 100 mg/l |
| NOEC (chronic) | 47 mg/l |

| glycerol (56-81-5) | |
|----------------------|--|
| LC50 - Fish [1] | 54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | > 10000 mg/l (24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |

12.2. Persistence and degradability

| Silane, dichlorodimethyl-, reaction products with silica (68611-44-9) | |
|---|----------------------------|
| Persistence and degradability | Biodegradable in the soil. |

| quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) | |
|--|-----------------|
| Persistence and degradability | Not applicable. |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |

| molybdenum(IV) sulfide (1317-33-5) | |
|------------------------------------|-----------------|
| Chemical oxygen demand (COD) | Not applicable. |
| ThOD | Not applicable. |
| BOD (% of ThOD) | Not applicable. |

EZY-TURN® #4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---------------------------------|-------------------------------------|
| glycerol (56-81-5) | |
| Persistence and degradability | Not readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 0.87 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 1.16 g O ₂ /g substance |
| ThOD | 1.217 g O ₂ /g substance |
| BOD (% of ThOD) | 0.71 |

12.3. Bioaccumulative potential

| | |
|--|----------------------|
| Silane, dichlorodimethyl-, reaction products with silica (68611-44-9) | |
| Bioaccumulative potential | Not bioaccumulative. |

| | |
|--|---------------------------|
| quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) | |
| Bioaccumulative potential | Bioaccumulation unlikely. |

| | |
|---|--|
| glycerol (56-81-5) | |
| Partition coefficient n-octanol/water (Log Pow) | -1.75 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |

12.4. Mobility in soil

| | |
|--|-------------------------------------|
| Silane, dichlorodimethyl-, reaction products with silica (68611-44-9) | |
| Ecology - soil | Low potential for mobility in soil. |

| | |
|--|-------------------------------------|
| quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) | |
| Ecology - soil | Low potential for mobility in soil. |

| | |
|---|------------------------|
| molybdenum(IV) sulfide (1317-33-5) | |
| Ecology - soil | Adsorbs into the soil. |

| | |
|---------------------------|------------------------------|
| glycerol (56-81-5) | |
| Surface tension | 0.0634 N/m (20 °C, 1000 g/l) |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|---------------|---------------|---------------|---------------|
| 14.1. UN number or ID number | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2. UN proper shipping name | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |



EZY-TURN® #4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

| | |
|---------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BLV | Biological limit value |
| CAS-No. | Chemical Abstract Service number |

www.ReinhardOil.dk - T: 70267007

EZY-TURN® #4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|---|
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| EC-No. | European Community number |
| EN | European Standard |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| vPvB | Very Persistent and Very Bioaccumulative |
| WGK | Water Hazard Class |
| BCF | Bioconcentration factor |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| IARC | International Agency for Research on Cancer |
| OECD | Organisation for Economic Co-operation and Development |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| N.O.S. | Not Otherwise Specified |
| ED | Endocrine disrupting properties |



www.ReinhardOil.dk - T: 70267007

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.